INDEX TO VOLUME V

New scientific names are printed in full-faced type

Abies amabilis, 176; arizonica, 176; balsamea, 280; concolor, 176; grandia, 71, 176; lasiocarpa, 71, 176; magnifica, 176; nobilis, 176; shastensis, 176
Acacia, greggii, 179; roemeriana, 178
Acer rubrum, 178; saccharinum, 178
Acrosporium fasciculata, 195
Actinomyces chromogenus, 30, 72; causing actinomycosis, 72
Adelphocoris rapidus, carrier of fire blight, 120
Aegle mormelos, 352
Aesculus californica, 179; drouth injury, 25; glabra, 178
Agropyron tenerum, 191
Aira caespitosa, 186
Alnus oblongifolia, 178; rhombifolia, 178; tenuifolia, host for Fomes igniarius, 48
Alopecurus pratensis, 191
Ambrosia psilostachya, 74
American Phytopathological Society, meeting of western division, 199–200; Report of sixth annual meeting, 128–132
Ames, Adeline, The temperature relations of some fungi causing storage rots, 11–19
Anderson, P. J., see Osmun, A. Vincent
Angiosperms, attacked by Phoradendron, 177
Anthracnose, of apple, 249; banana, 249; bean, 248, 303; blackberry, 249; cotton, 249; Desmodium tortuosum, 249; Ficus elastica, 249; fig, 249; Ipomoea purpurea, 249; lima bean, 249; Melia azederach, 249; narcissus, 249; orange, 249; Oxyanthus isthmia, 249; Passifloria incarnata, 249; pecan, 249; persimmon, 249; Sambucus canadensis, 249; Solanum carolinense, 249; sugar cane, 249; sycamore, 248; water melon, 249
Aphis avenae, 343; mali, 343
Aplanobacter michiganense, 78; Rathayi, 78
Appel, O., Leaf roll disease of the potato, 139–148; The control of cereal and grass smut and the Helminthosporium disease in Holland and Germany, 230–232; International phytopathology (abstract), 291
Apple, anthracnose, 249; bitter pit, 84, 299; coryneum on, 55; crown rot, 160; mildew, 292; northwestern anthracnose, 292; rosette, 84
Apricot, rust, 293
Arbor-vitae, drouth injury, 25
Arcenthobium douglasii, 175; see Razoumofskya
Arctostaphylos manzanita, 179
Armillaria mellea, 71, 294
Arrhenatherum elatius, 191
Ascochyta, life history of, 4
Aster, phloem lignification of, 159; thyrsiflorus, 159; yellows, 85
Asteroma Brassicae, 261
Atriplex tularensis, 339

Babcock, D. C., A new scarlet oak disease, 197
Bacillus amylovorus, 117, 121; on cherries, 312, 330, 343; Dianthi, 106, 337; in beet seed, 339; fluorescens, 52; Manihotus, 78; Musae, 78; solanacearum, 77; xanthoclorum, 78
Bacteria, relation to plant diseases, 77
Bacterium Amaranthi, 78; atrosepticum, 146; Matthiolae, 78; Phaseoli, 307; phytophthorum, 146; sepedonicum, 144; solanisparum, 146; Stewarti, 77; vascularum, 77; xanthochlorum, 146
Baldwin spot, of apple, 84
Ballard, W. S., Apple mildew (abstract), 292

Banana, anthracnose, 249
Bark disease, of fruit trees, 160
BARRETT, J. T., Mottled leaf of citrus (abstract), 292; Fruit stain and wither-tip of citrus (abstract), 293; Observations on prune rust, Puccinia pruni-spinosae, in southern California (abstract), 293; Coryneum fruit spot of apricot (abstract), 293
BARRUS, MORTIER F., An anthracnose-resistant red kidney bean, 303–311
BARSS, H. P., Bacterial canker of cherry and filbert disease (abstract), 292
Basswood, storm injury, 26
Bean, anthracnose of, 248, 249; anthracnose-resistant red kidney, 303
Beet, blight, 291; horticultural variety produced by Bacillus Dianthi, 338
Beet scab, some observations on, 30; identity with potato scab, 30
Benzoin aestivalis, 178
Betula alba, phloem lignification of, 158; host for Fomes igniarius, 48; nigra, 178; occidentalis, 48; papyrifera, host for Fomes igniarius, 48
Biochemistry, 92, 297
Bitter pit, of apple, 84, 299
Black rot, of sweet potatoes, 124
Blackberry, anthracnose, 249
BLAKESLEE, A. F., Lindner's roll tube method of separation cultures, 68–70
BLODGETT, F. M., Sweet pea powdery mildew, 237
BONCQUET, A., see SMITH, R. E.; and HARTUNG, WM. J., The comparative effect upon sugar beets of Eutettix tenella Baker from wild plants and from curly top beets, 348
Botryodiplodia, 197
Brown rot, on lemon and orange, 66
BRUNER, S. C., see HARTLEY, CARL
BURRILL, A. C., Insect control important in checking fire blight, 343–347

Caeoma, 273; conigenum, 281; **dubium,** 281; strobilinum, 281; Tsugae, 279
Campylomma verbasci, carrier of fire blight, 118
Carbol fuchsin, 52
CARTER, C. N., A powdery mildew on citrus, 193–196
Castanea dentata, 178
Cauliflower, ring-spot of, 260
Celtis, drouth injury, 25; mississipiensis, 178; occidentalis, 178
Cephalothecium roseum, temperature relations, 12
Cercidium torreyanum, 179
Cercospora, diseases, 247
Cereal smuts, 133; control, 230
Chenopodium album, 339; leptophyllum, 74
Cherry, bacterial canker, 292; fire blight, 312
Chestnut, bark disease, 45, 291; chinquapin, 45; on nuts, 233; spread of lesion, 46; blight, 64, in Nebraska, 74
Chlorosis, 84, 269, 299; sulfate of iron for, 171
Citrus, 66; aurantium, 195; fruit stain, 293; gummosis, 293; melaxuma, 293; mottled leaf of, 89, 112, 292; nobilis, 193; powdery mildew, 193; in Ceylon, 350; wither tip, 293
Claviceps microcephala, 186
Coleosporium, 273, 274; anceps, 276; arnicale, 276; Bletiae, 276; Campanulae, 274, 277; Elephantopodis, 276, Eupatorii, 276; Euphrasiae, 274; Helianthi, 276; Ipomoeae, 276; Laciniariae, 276; Melamphyri, 274; occidentale, 276; Senecionis, 274; Solidaginis, 276; Tussilaginis, 274; Viburni, 276
Collaboration, International phytopathologic, 133
Colletotrichum, 249; gloeosporioides, 293; lagenarium, 252; lindemuthianum, 252, 303
COLLINS, J. FRANKLIN, The chestnut bark disease on freshly fallen nuts, 233–235; Some new and old methods in plant pathology (title), 293
Comandra pallida, 224
Condolia spathulata, 179
Coniophora olivacea, 71
CORSAUT, J. H., Studies of the Rhizoctonia disease of potatoes (abstract), 293

Corticium vagum var. solani, 59
Coryneum, ascosporic stage of, 55; foliicolum, 55
Cotton, angular leaf spot, 247; anthracnose, 249; brachysm of, 299; lightning injury, 94
Covillea tridentata, 179
Crataegus, 178; Douglasii, 218
Cronartium Comandrae, 223; Quercuum, 293; ribicola, 291
Crown gall, 293
Crown rot, of apple, 160; of fruit trees, 293
Cultures, separation, roll tube method, 68; supply laboratory, 270
Cupressus arizonica, 179; glabra, 179; macnabiana, 179; Sargentii, 179
Curly dwarf, of potato, 139
Curly leaf, of sugar beet, 335
Curly top, of sugar beet, 84, 103, 284, 291, 348; lesion and organism in, 103; see also curly leaf
Currant, mildew on, 349
Cylindrocladium scoparium, 215
Cytology, 90, 298

Dactylis glomerata, 191
Dalea spinosa, 179
Desiccation, effect on pycnospores of Endothia parasitica, 37; on ascospores, 40
Desmodium tortuosum, anthracnose, 249
Diagnosis, of disease, 90
Diospyros virginiana, 178
Dothidea Brassicae, 262
Dothiorella, cause of melaxuma, 293
DRAYTON, F. L., The Rhizoctonia lesions on potato stems, 59–63
Drouth injury, to ornamental trees, 20

Echinodontium tinctorium, 49, 177; on hemlock, 72
EDGERTON, C. W., Effect of temperature on Glomerella, 247–259
Elm, drouth injury, 22
Elymus dasystachys, 191
Empoasca mali, 344
Endothia parasitica, 233, 291; in Nebraska, 74; longevity of pycnospores and ascospores under artificial conditions, 35–44; inoculation in chinquapin, 45; on chestnut fruit, 64
Enzymes, infection by, 86
Enzymic disturbance, 299
Ergot, wild rice, 186–192; rye, 186
ERIKSSON, JACOB, International Phytopathologic collaboration, 133–138
Eriosporangium, 273
Erysiphe communis, in East Indies, 350; Polygoni, 237
Eutettix tenella, relation to curly top, 103, 284, 337, 348
Exanthema, 84, 112, 399

Fagus atropunicea, 178
FAWCETT, HOWARD S., The known distribution of Pythiacystis citrophthora and its probable relation to mal di gomma of citrus, 66–67; Citrus gummosis and melaxuma (abstract), 293
Ficus elastica, anthracnose, 249
FIELD, ETHEL C., see HARTER, L. L.
Fig, anthracnose, 249
Filbert, bacterial disease of, 292
Fir, Alpine, drouth injury, 24
Fire blight, of cherries, 312; favored by hail, 333; influenced by fertilizers, 327; insect control important, 343; pear resistant to, 329; rôle of insects in dissemination, 117
Fomes igniarius, 48, 71; Laricis, 71; nigricans, 48
Foot rot, of citrus, 160; of sweet potatoes, 124
Forest pathology, 292
Forestessin neo-mexicana, 179
Formica, rufa obscuripes, 343
Fraxinus, americana, 178; berlandieriana, 178; caroliniana, 178; cuspidata, 178; lanceolata, drouth injury, 25; velutina, 178
Fruit spot, of apricot, 293
Fruit stain, of citrus, 293
Fungi, notes upon Washington, 55–58
Fusarium, batatatis, 124, 163; hyperoxysporum, 124, 163; moniliforme, 73; oxysporum, 143

FYLES, FAITH, A preliminary study of ergot of wild rice, 186–192

GILBERT, W. W., see JONES, L. R.
Ginseng, lightning injury, 97
Girdle scab, sugar beet, 34
GLADWIN, F. E., Observations relative to an obscure grape affection, 169–174
Gleditsia aquatica, 178; triacanthos, 178
Gloeosporium, 249; fructigenum, 257; musarum, 250
Glomerella cingulata, 257, 294; effect of temperature on, 247; Gossypii, 258; rufomaculans, temperature relations, 12
Gnomonia veneta, 248
Gooseberry mildew, 134
Grain rusts, 134
Grape, lightning injury, 98; losses from downy mildew, 135; losses from powdery mildew, 135; obscure affection, 169
Grass, smut control, 230
GRAVATT, G. FLIPPO, see ROGERS, J. T.
GRAVES, ARTHUR H., Root rot of coniferous seedlings, 213–217
GROSSENBACHER, J. G., Some neglected phases of phytopathology, 155–168; Crown rot of fruit trees: Histological studies (title), 293
Gummosis, cause of citrus, 293; of lemon, 84
Gymnoconia, 273
Gymnosperms, attacked by Phoradendron, 179
Gymnosporangium, in Oregon, 293; tubulatum, telial stage, 218

Hail, favorable to fire blight, 333
HALL, JOHN G., Notes upon Washington fungi, 55–59
HARTER, L. L., Notes on the distribution and prevalence of three important sweet potato diseases, 124–126; and FIELD, (TILLOTSON), ETHEL C. Experiments on the susceptibility of sweet potato varieties to stem rot, 163–168
HARTIG, ROBERT, Biography of, 1
HARTLEY, CARL, and BRUNER, S. C., Notes on Rhizoctonia, 73; and MERRILL, THEODORE C., Storm and drouth injury to foliage of ornamental trees, 20–29
HARTUNG, WM. J., see BONCQUET, P. A.
HAWKINS, L. A., The utilization of certain pentoses and compounds of pentoses by Glomerella cingulata (abstract), 294
HEALD, F. D., and STUDHALTER, R. A., Longevity of pycnospores and ascospores of Endothia parasitica under artificial conditions, 35–44
HEDGCOCK, GEORGE GRANT, Notes on some diseases of trees in our national forests. V, 175–181
Helianthus, 74
Helminthosporium, disease of cereals, 230
Hendersonia diplodioides, 57
Herpotrichia nigra, 71
Heterocordylus malinus, carrier of fire blight, 122
Hicoria cordifolia, 178; glabra, 178; pecan, 178; ovata, 178
Histology, 90, 298
HORNE, W. T., Armillaria or oak fungus disease in California (abstract), 294
Horsechestnut, storm injury, 26
HOTSON, J. W., Fire blight on cherries, 312–316
HUBERT, ERNEST E., A new Macrophoma on galls of Populus trichocarpa, 182–185

Infection experiments, ergot of wild rice, 188
Inoculation experiments, barley and rye, 190; on hosts of ergot of rye, 191; wild rice, 190
Ipomoea purpurea, 249
Isosoma grande, 323

JACKSON, H. S., Northwestern apple anthracnose (abstract), 292; An established Asiatic Gymnosporangium in Oregon (abstract), 293

JONES, L. R., Bacteria in relation to plant diseases by ERWIN F. SMITH (Review), 77–79; and GILBERT, W. W., Lightning injury to potato and cotton plants, 94–102
JOHNSON, H. F., see LUTMAN, B. F.
Juglans nigra, 178; rupestris, 178
Juncus, 57
Juniperus, californica, 179; host of Gymnosporangium tubulatum, 218; monosperma, 179; occidentalis, 179; pachyphloes, 179; scopulorum, 179; utahensis, 179

KEITT, G. W., Simple technique for isolating single-spore strains of certain types of fungi, 266–269
KIRKWOOD, J. E., Peridermium pyriforme and Cronartium Comandrae, 223–224

Larix americana, 175; laricina, 176; occidentalis, 176
Lathyrus odoratus, 237; sativus, host for Ascochyta, 4
Leaf blight, of grapes, 169
Lemon, gummosis, 84
LEONARD, M. D., see STEWART, V. B.
Libocedrus decurrens, 179
Lightning injury, 299; to grapes, 98; to potato and cotton, 94, 197; to sugar beets, 97; to tobacco, 97
Lima bean, anthracnose, 249
LIPMAN, CHAS. B., A suggestion of a new phase of the problem of physiological diseases of plants, 111–116
Liquidambar styraciflua, 178
Literature on American plant diseases, 79–82, 201–212, 239–245, 285–290, 353–356
Little leaf, 84
Liriodendron tulipifera, 213
LUDWIG, C. A., Notes on some North American rusts with caeoma-like sori, 273–281
LUTMAN, B. F., and JOHNSON, H. F., Some observations on ordinary beet scab, 30–34
Lygidea mendax, carrier of fire blight, 122
Lygus invitus, possible carrier of fire blight, 123; pratensis, carrier of fire blight, 117

Macrophoma **tumefaciens,** 182
Maple, Norway and sugar, drouth injury, 20; red, drouth injury, 25; storm injury, 26
MEINECKE, E. P., Peridermium Harknessii Moore and Cronartium Quercuum (Berk.) (abstract), 293; ROBERT HARTIG, 1; Forest pathology (abstract), 292
Melampsora, 273, 277; **Abietis-canadensis,** 279; arctica, 280; Bigelowii, 278, Medusae, 278
Melaxuma, of citrus, 293
MELCHERS, LEO E., A way of obtaining an abundance of large uredinia from artificial culture, 236–237; The grouping and terminology of plant diseases, 297–302
Melia azedarach, 178, 249
Meliola, in Ceylon, 351
MERRILL, THEODORE C., see HARTLEY, CARL
METCALF, HAVEN, Two eastern forest diseases which threaten the Pacific states (abstract), 291
Microsphaera alni, 237
Molinia coerulea, 186
Monilia blight, of fruit trees, 294
Monilia fructigena, temperature relations, 13
Mosaic, of tobacco, 84, 299
Mottled leaf, of citrus, 292
MUNN, M. T., Lightning injury to onions, 197
Mushrooms, bacterial disease of, 51
Mycosis, vascular, 142
Mycosphaerella, brassicicola, 263; **ontarioensis,** 6; pinodes, conditions for development, 9
Myzus persicae, 343

Narcissus sp., 249
Nardus stricta, 186
Nectria ipomoeae, 124
NELSON, EDGAR, The citrus-root nematode (Tylenchulus semipenetrans) in Florida, 72

Nematode, citrus root, in Florida, 72
Neopeckia Coulteri, 71
Neoravenelia, 273
Neottiospora **yuccaeafolia,** 57
Nursery stock, Pythiacystis infection of, 291
Nyssa sylvatica, 178

Oak, scarlet, disease of, 197; drouth injury, 22
OBERLY, MISS E. R. (compiler), Literature on American plant diseases, 79, 201, 239, 285, 353
Oedema, classification of, 299
O'GARA, P. J., A Podosporiella disease of germinating wheat (abstract), 294; (article), 323–326
Oidium, Citri-aurantii, 195; fasciculatum, 195; **tingitaninum,** 195; Tuckeri, 135
Olneya tesota, 179
Onion, lightning injury, 197; mildew, 248
Oospora Citri-aurantii, 195; fasciculata, 195; scabies, 72
Orange, anthracnose of, 249
Orthostylus flavosparsus, carrier of fire blight, 119
OSMUN, A. VINCENT, and ANDERSON, P. J., Ring-spot of cauliflower, 260–265
Otthia amica, 57
Oxyanthus isthmia, 249

Papaipema nitela, 197
Papyrus papyrifera, 178
Paracalocoris colon, 123
Parasitism, 87
Parasitology, 298
Parkinsonia microphylla, 179
Passiflora incarnata, 249
Pathological physiology, 92
Peach, little, 299; rust, 293, 299; yellows, 84
Pear, resistant to fire blight, 329
Pecan, anthracnose, 249
Penicillium, 64; digitatum, temperature relations, 13
Peridermium, 274; fructigenum, 279; Harknessii, 293; pyriforme, 223
Persimmon, anthracnose, 249
PETCH, T., Citrus mildew, 350–352
Phaseolus vulgaris, 303
Phloem disease, 157
Phoradendron, attacking angiosperms, 177; attacking gymnosperms, 179; bolleanum, 179; californicum, 179, 180; flavescens, 177, 180; flavescens orbiculatum, 178; juniperinum, 179; juniperinum libocedri, 179; macrophyllum, 178; pauciflorum, 179; villosum, 179
Phragmites communis, 186
Phyllodoce emptriformis, 71
Phyllosticta brassicicola, 263; Brassicae, 263
Physiological diseases, investigation of, 83; a new phase of the problem, 111, 297
Phytopathology, international, 291; some neglected phases of, 155
Phytophthora infestans, 133
Picea, breweriana, 175; canadensis, 175; drouth injury, 25; Engelmanni, 71, 175; parryana, 175; rubens, 175
PIERCE, ROY G., Chestnut blight in Nebraska, 74
Pine, drouth injury, 24; lodge pole, 24; western white, 50; white, top burn, 24
Pinus, albicaulis, 71, 73, 176; aristata, 176; attenuata, 176; austriaca, drouth injury, 25; chihuahuana, 176; contorta, 71, 175; Coulteri, 176; edulis, 176; flexilis, 176; Jeffreyi, 176; lambertiana, 176, 291; mayriana, 176; monophylla, 176; monticola, 71, 176, 291; ponderosa, 73, 176, 223; ponderosa scopulorum, 176; resinosa, root rot of, 214; sabiniana, injury, 176; strobiformis, 176; strobus, drouth injury, 25, root rot of, 214; sylvestris, drouth injury, 25
Plant diseases, autopathogenic, 300; calculated losses from, 134; grouping and terminology of, 297; of America, literature on, 79–82, 201–212, 239–245, 285–290, 353–356
Plant pathology, relation to transportation, 108
Plasmopara viticola, 135; in Ceylon, 350
Platanus occidentalis, 178; racemosa, 178; Wrightii, 178

Plenodomus destruens, 126
Poa pratensis, 191
Podosporiella, on wheat, 294; **verticillata**, 324
Poeciloscytus basalis, carrier of fire blight, 119
Polyporus lucidus, on mountain hemlock, 72; Schweinitzii, 72
Populus, angustifolia, 178; deltoides, 178; Fremontii, 178; nigra, 178; trichocarpa, 178; Macrophoma on galls of, 182–185
POSEY, G. B., Studies of monilia blight of fruit trees (abstract), 294
Potato, black leg, 145; brown spot, 84, 142; curly dwarf, 139; foot disease, 145; fusarium wilt, 143; leaf roll, 84, 139, 157, 299; lightning injury, 94; phloem necrosis, 159; Rhizoctonia disease, 293; scab, 30, 219; streak disease, 140; vascular mycosis, 143
POTTER, ALDEN A., The loose kernel smut of sorghum, 149–154
Powdery mildew, on citrus, 193; on sweet pea, 237
Prosopis juliflora, 178; odorata, 178
Prunus, 178; angustifolia, 178; cerasus, 178; serotina, 178
Pseudotsuga taxifolia, 71, 175
Puccinia glumarum, 284; graminis, 134; pruni-spinosae, 293; tritici, for inoculation work, 236
Pyrus, communis, 178; coronaria, 343; ioensis, 343; malus, 178; sinensis, 330
Pythiacystis, citrophthora, 291, 293, 317; distribution and relation to mal di gomma, 66; infection of nursery stock, 291, 317
Pythium debaryanum, 73

Quercus, agrifolia, 179; alba, 178; arizonica, 178; brevifolia, 178; californica, 179; catesbii, 178; Chapmani, 178; chrysolepsis, 179; coccinea, 197; digitata, 178; Douglasii, 179; drouth injury, 22; Emoryii, 178; Gambelii, 178; garryana, 179; georgiana, 178; hypoleuca, 178; lobata, 179; lyrata, 178; macrocarpa, 178; marilandica, 178; minor, 178; nigra, 178; oblongifolia, 178; palustris, 178; pedunculata, in Ceylon, attacked by mildew, 352; phellos, 178; reticulata, 178; texana, 178; Toumeyii, 178; velutina, 178; virginiana, 178; wislizeni, 179

Razoumofskya americana, 175; campylopoda, 176; cryptopoda, 176; cyanocarpa, on Pinus albicaulis, 73, 176; divaricata, 176; Douglasii, abietina, 176; in Alaska, 229; laricis, 176; occidentalis, abietina, 176; on mountain hemlock, 72; pusilla, attacking gymnosperms, 175; tsugensis, 176
Rhamnus purshiana, 71
Rhizoctonia, 59; in pine seedlings, 73; on potato, 59, 293; Solani, 145
Rhizopus nigricans, temperature relations, 13
Rhus diversiloba, 179
Ribes nigrum, 349; rubrum, 349
Rice, ergot of wild, 186
Ring disease, bacteria of, 139
Ring spot, of cauliflower, 260
Robina pseudacacia, 178
Roestelia tubulata, 218
ROGERS, J. T., and GRAVATT, G. FLIPPO, Notes on the chestnut bark disease, 45–47
Root rot, 247; of coniferous seedlings, 213–217; of pines, 213; of tulip trees, 213
Rosette, of apple, 84
RUMBOLD, CAROLINE, Methods of injecting trees, 225–228; Notes on Chestnut fruits infected with the chestnut blight fungus, 64–65
Rust, with caeoma-like sori, 273
Rye, ergot of, 186

Salix amygdaloides, 178; nigra, 178; taxifolia, 178
Sambucus canadensis, 249; Coryneum upon, 56; glauca, 71
Saperda populnea, 182
Sapindus marginatus, 178
Schizanthus Grahami, 274
Sclerotinia fructigena, 108; libertiana, 108, 307; Rolfsii, 109

Scorzonera hispanica, phloem lignification of, 159
SHAPOVALOV, M., The potato scab organism, 72
SHEAR, C. L., Report of the sixth annual meeting of the American Phytopathological Society, 128–132; The need of pure culture supply laboratory for phytopathology in America, 270–272
SHERBAKOFF, C. D., After effect of sulfur treatment on soil, 219–222
SMITH, C. O., Walnut blight and crown gall (abstract), 293
SMITH, E. H., Pythiacystis infection of deciduous nursery stock (abstract), 291, 317
SMITH, RALPH E., The investigation of "Physiological" plant diseases 83-90; beet blight (abstract), 291–292; and BONCQUET, A., Connection of a bacterial organism with curly leaf of the sugar beet, 335–342; New light on curly top of the sugar beet, 103–107
Smut, control of grass and cereal, 230; of sorghum, 149
Solanum carolinense, 249
Sophora secundiflora, 178
Sorghum, loose kernel smut of, 149; saccharatum, 150
Spermoedia clavus, 186; microcephala, 186
Sphacelotheca cruenta, 149; Sorghi, 149
Sphaerella brassicaecola, 262
Sphaeria Brassicae, 261; brassicaecola, 261
Sphaeronema fimbriatum, 125
Sphaerotheca mors-uvae, 134, 349
Spruce, Engleman, drouth injury, 24
Stem rot, of sweet potatoes, 124, 163
STEVENS, F. L., Some problems of plant pathology in reference to transportation, 108–110
STEWART, V. B., Mildew on black currants, 349; Notes on the fire blight disease, 327–334; and LEONARD, M. D., The rôle of sucking insects in the dissemination of fire blight bacteria, 115–123
STONE, R. E., The life history of Ascochyta on some leguminous plants. II, 4
Storage rots, temperature relations of fungi causing, 11
Storm injury, 26
STUDHALTER, R. A., see HEALD, F. D.
Sugar beet, curly leaf of, 335; curly top of, 84, 103, 282, 348; lightning injury, 97
Sugar cane, anthracnose, 249
Sulfur, colloidal, 292; fumigation for mushroom disease, 53; treatment of soil, 219
Sweet pea, powdery mildew of, 237
Sweet potato, distribution and prevalence of three diseases, 124; stem rot, 163
Sycamore, anthracnose of, 248
Symptomatology, 90

Taxus brevifolia, 71
Technique for isolating fungi, 266
Tecoma radicans, 178
Thermal death point, 18
Thielavopsis paradoxa, temperature relations, 13
Thuja occidentalis, drouth injury, 23; plicata, 71
Tilia floridana, 178
Tilletia Tritici, 231
Tobacco, lightning injury, 97; mosaic of, 84
TOLAAS, A. G., A bacterial disease of cultivated mushrooms, 51–54
Tomato, end-rot of, 84, 115, 299; western blight, 89
TOWNSEND, C. O., Sugar beet curly-top, 282
Toxylon pomiferum, 178
Trametes Pini, 49, 177
Trees, diseases of, 175–181; methods of injecting, 225
Triticum vulgare, 325
Tropaeolum minus, 274
Tsuga, canadensis, 214; heterophylla, 176, 229, 280; mertensiana, 71, 176, 229
Tulip trees, root rot of, 213
Tureenia **juncoidea**, 57
Tylenchulus semipenetrans, 72

Ulmus, americana, 178; crassifolia, 178; pubescens, 178
Uncinula spiralis, 350
Uredo Holwayi, 281
Ustilago Avenae, 232; bromivora, 232; cruenta, 149; Hordei, 232; nuda, 232; Sorghi, 149; tecta, 231; Tritici, 232; Tulasnei, 149

Verbascum thapsus, 118
Verticillium alboratrum, 143

Walnut blight, 293
Watermelon, anthracnose, 249
WEIR, JAMES R., A new host for a species of Razoumofskya, 73; New hosts for some forest tree fungi, 71; Razoumofskya tsugensis in Alaska, 229; Some observations on abortive sphorophores of wood-destroying fungi, 48–50; Telial stage of Gymnosporangium tubulatum on Juniperus scopuplorum, 218
Wheat, Podosporiella disease of, 294, 323
Wilt diseases, 247
Wither tip, of citrus, 293
Wood-destroying fungi, abortive sporophores of, 48, 71

Xanthoxylum clava-herculis, 178

Yellows, aster, 85; peach, 84, 299
Yucca, 57

Zizania aquatica, 186; palustris, 186

ERRATA FOR VOLUME V

Page 150 line 2, for rötkliche read röthliche.
Page 150 line 7, for ohnlich read ähnlich.
Page 153 line 1, for Sphaecelotheca read Sphacelotheca.
Page 186 line 2, for *Zizania aquatica* L. & *Z. palustris* L., read *Zizania aquatica* L. and *Z. palustris* L.
Page 217 line 22, omit trouble.
Page 283 line 8, for Pathologist read Physiologist.
Pages 244 and 289, for Franklin Lincoln Stevens read Frank Lincoln Stevens.
Pages 263 and 264, interchange legends for figures 2 and 3.
In explanation of Plate XVI, fig. 2, for synnemata read synnema.
Page 326, interchange legends for Plates XV and XVI.
Page 349 line 13, for Atroplex read Atriplex.